

EXPRESS MAIL RECEIPT NO. EV466891958US
DEPOSITED ON SEPTEMBER 1, 2004

1520
PATENT
DKT. STL11716

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Grant E. Carlson, Karl H. Cunha
Assignee: SEAGATE TECHNOLOGY LLC
Application No.: 10/817,378 Group No.: 3728
Filed: 04/02/2004 Examiner: Unknown

For: CARRIER DEVICE AND METHOD FOR A MULTIPLE DISC ARRAY

Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

PETITION TO MAKE SPECIAL FOR NEW APPLICATION
UNDER M.P.E.P. § 708.02, VIII

1. Petition

Applicant hereby petitions to make this new application, which has not received any examination by the Examiner, special.

2. Claims

All the claims in this case are directed to a single invention. If the Office determines that all the claims presented are not obviously directed to a single invention, then applicant will make an election without traverse as a prerequisite to the grant of special status.

3. Search

A search has been made by an attorney and a professional searcher in the following:

Field of search: Storage, Electrical and Memory

Foreign patents: Class/Subclass:
WO 97/45784
EP 1026688A3
WO 99/60832

Copies of the search result reports from Patents, Past and Present, and from Mark Spector, professional searchers, are submitted herewith.

4. Copy of references

All of the references most closely related to the subject matter encompassed by the claims are of record or are listed in the Supplemental Information Disclosure Statement which accompanies this Petition, in accordance with M.P.E.P. 708.02VIII(D).

5. Detailed discussion of the references

There is submitted herewith a detailed discussion of the references, which discussion particularly points out how the claimed subject matter is distinguishable over the references. Please see attached submission.

6. Fee

The fee required by 37 C.F.R. 1.17(h) is to be paid by:

Attached is a check in the amount of \$130.00.

Charge any additional fees required by this paper or credit any overpayment to Deposit Account No. 06-0540. A duplicate of this paper is attached.

Date: 9/1/2004

Respectfully submitted,



Mitchell K. McCarthy, Registration No. 38,794
Randall K. McCarthy, Registration No. 39,297
Fellers, Snider, Blankenship, Bailey & Tippens
Bank One Tower
100 North Broadway, Suite 1700
Oklahoma City, OK 73102-8820
Telephone: (405) 232-0621
Fax: (405) 232-9659

EXPRESS MAIL RECEIPT NO. EV466891958US
DEPOSITED ON SEPTEMBER 1, 2004

PATENT
DKT. STL11716

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re application of: Grant E. Carlson, Karl H. Cunha
Assignee: SEAGATE TECHNOLOGY LLC
Application No.: 10/817,378 Group No.: 3728
Filed: 04/02/2004 Examiner: Unknown

For: CARRIER DEVICE AND METHOD FOR A MULTIPLE DISC ARRAY

Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

DETAILED DISCUSSION OF THE REFERENCES IN SUPPORT OF
PETITION TO MAKE SPECIAL FOR NEW APPLICATION
UNDER M.P.E.P. § 708.02, VIII

Sir:

The embodiments of the present invention as claimed by the independent claims are characterized, at least without limitation, by the following recited features:

Claim 1

"An array storage system...comprising a carrier from a plurality of different carriers differentiated by a characteristic array of tubular closed channels, each channel adapted for supportingly engaging a data storage device...."

Claim 2

"A multiple disc array comprising a partition comprising channel surfaces defining a tubular closed passage...the channel surfaces circumscribing a cross section of the data storage device in a supporting mating relationship...."

Claim 10

"A carrier...comprising a partition comprising channel surfaces defining a tubular closed passage, the channel surfaces adapted for circumscribing a cross section of the data storage device in a supporting mating relationship...."

Claim 17

“A method...comprising providing a carrier from a plurality of different carriers differentiated by a characteristic array of tubular closed channels for supportingly engaging data storage devices....”

None of the references of record teach or suggest the manner and method of supporting the data storage devices in a multiple disc array according to the embodiments of the present invention as claimed.

Some previously attempted solutions involve supporting the data storage devices on a rail-type support member:

Golobay ‘886: “Rails 10, 11, 14, 15 and corresponding rails protruding from the hidden surfaces of center section 115 and side 125 define the bottom of bays 201, 202, 204, and 205, and provide support for disk drive canisters placed into the bays.” (Col. 6, lines 3-7)

Rabinovitz ‘184: “Each disk drive 12 preferably includes outward extending flanges 28 on either side that slide along the rails....” (col. 5, lines 5-6)

Anderson ‘926: “Assembly 46 is slid into case 44 along tracks 50....A set screw 100 secures the removable drive assembly 46 as shown in FIG. 1 to the case 44. This provides additional securing to prevent the removable assembly 46 from sliding out of case 44.” (col. 8 lines 27-28, col. 9, lines 20-22)

Fujimura ‘490: “The lever 603 locks the inserted unit by engaging a front rail 604 of the host computer housing 100....” (col. 4, lines 17-18)

Corrington ‘142: “The housing 15 of each module 14 is provided with a channel 30 on each side, which channels 30 cooperate with the guide tracks 31 provided in the housing 11 of the RAID system when the modules 14 are inserted into the housing 11. (col. 6, lines 59-63)

Rabinovitz 2004/0057203: “The standard disk drive 12 includes flanges 28 for mounting in the housing 10. (para. [0064])

Churchill EP 1026688: “The disk cage includes a number of tracks (50a, 50b, 52a, 52b, 54a, 54b, 56a, 56b, 58a and 58b), located on two lateral interior surfaces of the disk cage. Each track on one surface of the disk cage is laterally aligned to a track on the other surface. A pair of aligned tracks is designed to guide a single hard disk drive that is being inserted into the disk cage. In addition, the same pair of aligned tracks provides support for the disk drive after being inserted into the disk cage. (abstract)

Other previously attempted solutions involve supporting the data storage devices by a multiple-point attachment to a shelf member:

Variatya '397: "Screws 89 are used to mount the disk drive 26 to the drawer 24 at the bracks [sic] 58, as diagrammed in FIG. 3." (col. 6, lines 5-6)

Feightner '567: "The subassembly 10 may have fasteners 42 that mechanically couple the drives to the module and allow for easy insertion and detachment of the drives." (col. 2, lines 64-66)

Driscoll '427: "As can be seen, module 33-1 includes an elongated, generally rectangular, unitary frame 49 (see also FIGS. 13 through 15 wherein frame 49 is shown separately). (col. 5, lines 25-28)

Hanson '373: "The disk drive module 10 includes a disk drive carrier assembly 12 which provides a mounting hole arrangement which is capable of accepting virtually any 5 1/4" hard disk drive as well as some floppy disk drives." (col. 4, line 67 to col. 5, line 4)

Le '697: "FIGS. 7 and 8 illustrate a tray assembly 46 on which each disk drive 48 is mounted...." (col. 4, lines 42-43)

Yorimitsu '790: See FIG. 11.

Paul '022: Each disc drive 5 is secured to a disc drive carrier 6 that is adapted to be removably received within the chassis 1 (best illustrated in FIGS. 4 and 5).

Jahne '381: "Disk drive carrier 330, as shown in FIG. 3, is designed to receive a 1 inch thick disk drive." (col. 3, lines 42-43)

Teachout '687: "The disk drive chassis has a lock-handle 68 on the front panel thereof and screws 70 mounted on the opposing sides thereof for engagement with the sides of the disk drive, in a conventional manner." (col. 9, lines 21-24)

Sullivan '246: "Disk drive 14, which may be a standard disk drive of commercial grade manufactured by a disk drive manufacturer, is assembled into the housing formed by covers 10 and 12 by attaching bumpers 36, with their included flanges 38, to rails 32 and 34.... (col. 4, lines 17-21)

Moon 2002/0144044: "The hard disk drive units 20 are mounted in the magazine 14 with a slightly spaced-apart arrangement." (para. [0070])

Debbins 2003/0081378: "The disk drive carrier includes a plurality of disk drives (11A, 11B) secured to a single printed circuit board (13).... (para. [0008])

Young WO 97/45784: "so that trays containing the drives (71) can be inserted and plugged into the connectors (29)." (Abstract)

None of the references of record disclose or suggest the novelty of the present invention as recited by the language of the independent claims. Accordingly, the references of record cannot sustain a Section 102 or 103 rejection.

It is submitted that all of the elements set forth in M.P.E.P. §708.02 subsection VIII have now been provided in this petition to make special. It is requested that this petition be granted and that the presented claims be examined as soon as possible.

Respectfully submitted,




Mitchell K. McCarthy, Registration No. 38,794
Randall K. McCarthy, Registration No. 39,297
Fellers, Snider, Blankenship, Bailey & Tippens
Bank One Tower
100 N. Broadway, Suite 1700
Oklahoma City, OK 73102-8820
Telephone: 405-232-0621
Fax: 405-232-9659

PPP

Patents, Past & Present

Patent & Trademark Research and Document Retrieval



September 18, 2003

Ms. Zeina Smith
Sr. Legal Secretary
Seagate Technology LLC
Intellectual Property Department COD 2LGL
389 Disc Drive
Longmont CO 80503

Re: Patentability Search: "Multiple Disk Array Mechanical Configuration"
Your Reference: STL 11716 Our Reference: SEA 470 COD

Dear Zeina:

A patentability search directed to the above referenced, "Multiple Disk Array Mechanical Configuration", was conducted. The search was specifically directed to a MDA having multiple drives attached to a circuit board within a carrier.

The Fields of Search, including published applications, were: US Class 361, subclasses 683, 685, and 686; Class 369, subclasses 75.1, and 80, The USPTO computer database was also used for keyword and cross-reference searching.

The following U.S. patents were found:

✓ 20030081378 ✓	multiple disk drive carrier	Debbins, Barry J. et al.
✓ 6618246 ✓	multiple DD in frame	Sullivan, Patrick L. et al.
✓ 6535381 ✓	end to end disk drive carrier	Jahne, Craig J. et al.
✓ 5422767 ✓	multiple disk drive unit	Hatchett, Michael R. et al.
✓ 5214567 ✓	two disk drives and one electrical connector	Feightner, Rick et al.

If you have any questions or comments please feel free to contact me.

Kind regards,

Annie McKrill
PATENTS, PAST & PRESENT



last line of this report is "end end"

From: Mark Spector 4452 South 36th ARL VA 22206 midmuzk@aol.com 703.3798824
FOR: Mickey McCarthy^{ESQ} Fellers Snider, Bank One Bldg, 100 N. Broadway #1700
Oklahoma City OK 73102 405.2320621 McCarthy|PLaw MMcCarthy@fellerssnider.com

RE: MULTIPLE DISC ARRAY search

Dear Mr. McCarthy :

3.28.04

In response to your letter of 3.16, a search in the US Patent Office was conducted for a multiple disc array of stacked disc drives, removably installed in a shelved cabinet fixture with attached backplane, employing a partition having a plurality of openings to receive a portion of a data storage device, and employing a 1 to 1 correspondence between connectors such that the failure of any one connector only affects one data storage device.

I assume you're aware of US 5926366 Cunha, 5868261 Cunha, 5775418 Cunha and 20040056568 Carlson.

US Primary Patent Examiner D. Martin au2837, was consulted.

A search in US Patents was conducted in
Memory, Class 711, Subclasses: 114 and 115
Electrical, Class 361, Subclasses: 685, 727, 788
Storage, Class 360, Subclasses: 98.01 and 98.06.

The following 23 US Patents and Pubs disclose multi disk and drive array configurations and connections.

6683793 Campbell : "Distributed Scalable Backplane"

"A backplane is disclosed for attaching storage devices to the backplane that utilize removable media."

6651138 Lai : "Hot-plug memory cartridge power control logic"

"a plurality of cartridge connectors coupled to the memory system board, each of the plurality of cartridge connectors configured to receive one of the plurality of memory cartridges and further configure to facilitate the insertion and removal of the memory cartridges while the system is powered-up"

6574687 Teachout : "Fibre Channel Data Storage System"

"Electrical cabinet for storing a plurality of disk drives. The cabinet has an array of slots, each one of the slots being adapted to receive a corresponding one of a plurality of disk drives. Each one of the disk drive has a pair of ports."

page one of eight

6464509 Emberty : "Removable Storage Media in a Data Storage System "

"A disk drive library has individual disk drives that are each provided with a combination mechanical and electrical connector for interfacing with a library backplane. Each connector has two components. The first component is mounted to the drive and has an electrical contact with a metallic burnished core of highly conductive material that is surrounded by an annular magnet. The mating component is on the backplane and is similarly formed with the opposite pole of a second magnet. When the two components are brought into close proximity, the two contacts attract each other to mate the contact cores, and thus establish an electrical connection. This connection is augmented by a spring mechanism to provide a solid, reliable connection.

6442022 Paul : "Removable Disc Drive Carrier"

"A replaceable SCA drive adapter board detachably connected to the rear of a disc drive carrier"

6243790 Yorimitsu : "Re-arranging Logical Drives in a Disk Array "

"A plurality of logical disks within one cabinet. The present invention provides a disk array apparatus in which logical disks can be easily re-arranged within the array, or added to the array. "

6230217 Tuccio : "Host computer coupled to bank of disk drives"

"The bank of disk drives has a plurality of sets of electrically connected disk drives, each one of the sets being connected to a corresponding one of the input/output interfaces of a corresponding one of the rear-end directors through the adapter card connected to such corresponding one of the rear-end directors and, through the printed circuit board, to the adapter card in the another one of the electrical connectors and to the input/output interface of the rear-end director in such other one of the electrical connectors."

6076142 Corrington : "User Configurable Raid System"

"A user configurable RAID system designed to provide RAID functions as well as mass storage functions in a non-RAID mode. Flexibility is built into the system to allow the user to configure the SCSI bus to which removable drive modules are connected into one or more channels."

5974490 Fujimura : "Plural Disk Unit Apparatus"

"A plurality of disk units capable of being removably inserted by plugging are directly mounted on the front side of the mother board through bus connectors, while connector units for external connection and having connectors of the control buses, terminal units having terminal circuits of the control buses, power units for supplying power to the disk units."

5913926 Anderson : "Expandable Modular Data Storage"

"A plurality of substantially identical, vertically stacked storage device housings adapted to slidably receive a data storage device, and mechanical connection elements for releasably connecting the top of one storage device housing to the bottom of a storage device housing stacked thereon. The array is connectable to a host computer."

5822184 Rabinovitz : "Modular Disk Drive Assembly"

"A modular data device assembly for a computer is disclosed, wherein the assembly has a housing that is designed to fit into a conventional, industry standard size expansion bay. Individual plug-in data storage devices such as hard disk drives or CD-ROM drives are disposed vertically in a stacked formation within the housing. A motherboard with plug-in connectors to which the drives are connected allows easy replacement of defective data devices, which devices slide in or out. The disk drives and modular data device assemblies may be arrayed in series or in parallel to a controller. By its modular structure and redundant storage functions, the present invention benefits from what is known as Redundant Array of Inexpensive Disk principle."

5752257 Ripoll : "Redundant array of removable cartridge disk drives"

"A memory system comprises an array of parallel removable hard disk cartridges"

5729763 Leshem : "Data storage system "

"Each disk interface includes a switch adapted to allow data to pass to another disk drive in the channel thereof; and, when the other channel becomes inoperative, coupling the disk drive in the inoperative channel to the operative fiber channel. With such arrangement, a disk drive may be removed without requiring a shut-down of the storage system (i.e., the disk drive may be "hot swapped")."

5652697 Le : "Computer System Backplane"

"The backplane is secured in the chassis without the use of screws. The fingers are defined within channels formed by a structure at the rear of a disk drive cage. The computer system further includes a plurality of disk drives mounted on trays which have rear pins that engage guide apertures formed in the backplane."

5517373 Hanson : "Disk Drive System w/Plural Removable Modules "

"A removable data storage system comprising: a plurality of self-contained portable disk drive modules."

5247427 Driscoll : "Disk Array Subsystem"

"A disk array subsystem adapted for use in a data processing system according to this invention comprises a chassis, a backplane fixedly mounted inside said chassis, disk drive module guide plate means, said disk drive module guide plate means including a first guide plate having a plurality of parallel slotted channels, said first guide plate being fixedly mounted inside said chassis, a plurality of disk drive modules slidably and removably mounted on said first guide plate, each disk drive module including an elongated T-bar slidably mounted in one of said parallel slotted channels, said disk drive module guide plate means serving to support said disk modules and to place the disk drive modules mounted thereon in approximate alignment with said backplane for electrical connection therewith, controller means for controlling the operations of said disk drive modules, and power supply means for powering said disk drive modules. "

5124886 Golobay : "Drive Canister Module"

"A modular cabinet for enclosing a plurality of disk drive canisters."

4754397 Varaiya : "Fault Tolerant Modular Subsystems"

"The facility includes a housing array for containing a plurality of hardware element modules such as disk drives, a plurality of modularized power supplies and plural power distribution modules, each being connected to a separate source of primary facility power. Each module is self aligning and blind-mateable with the housing and may be installed and removed without tools, without disturbing the electrical cabling within the cabinet."

3725883 Bennett : "Modular Disk File Unit"

"a plurality of modular memory disk units in separate housings mounted in a single cabinet is described."

20040057203 Rabinovitz : "Modular Data Storage Device Assembly "

"A modular data device assembly includes a chassis that has an open front and a back. The chassis also has exterior dimensions that correspond to the dimensions of an industry standard drive bay. The chassis further has a plurality of slots that are disposed inside the chassis. The modular data device also includes a plurality of disk data storage devices, a backplane, and a connector. Each disk data storage device is disposed in one of the plurality of slots. The backplane is disposed in the back of the chassis. The backplane has a plurality of connectors which are mechanically coupled thereto and each of which is connected to one of the disk data storage devices. The power source connector is mechanically and electrically coupled to the backplane."

20030070043 Merkey : "High speed fault tolerant storage systems"

Raid Network System "RNS" is housed in an expansion cabinet mountable to a 19 inch rack by slide rails that permits up to eight of those RNS devices to be inserted into a chassis forming a single DASD assembly. Drive bays are accessible by sliding the unit out of the cabinet and adding or removing drives into empty drive bays in the unit. The cabinet assembly allows hot swappable drives to be added to the RNS expansion cabinet."

20030041201A1: Rauscher : "Raid system with multiple controllers "

"A rack 700 is used to support the chassis of the RAID system. The rack 700 comprises the left vertical end 715, and right vertical end 705, which are connected by horizontal shelves 710, 720, 730, 740, 750, and 760. The storage array controller chassis 100 rests on shelf 710, and storage array controller chassis 200 rests on shelf 720. DASD chassis 300 rests on shelf 730, DASD chassis 400 rests on shelf 740, DASD chassis 500 rests on shelf 750, and DASD chassis 600 rests on shelf 760. "

20020144044 Moon : "Removable disk storage array"

"Hot pluggable multi-drive magazine having a housing for holding a plurality of hard disk drives, each drive connected to receive power and data from the magazine in a controlled fashion, and at least one magazine receiving system for physically receiving the magazine and for thereupon providing power, data and control connections to the magazine, such that when the magazine is received within the magazine receiving system, the hard disk drives selectively receive power and data connections via the magazine and receiving system from a host computer. The magazine may be hot-disconnected from an active computing system."

A search in the US PTO EP (Euro) and JP (Japan) databases uncovered the following 3 references.

WO9960832A1: ELECTRONIC CIRCUIT CARD ASSEMBLY

Inventor: KUCHTA, Douglas, Allan; LAPREE, Scott, Raymond; SEVERSON, Paul, Steven; THOMFORD, Paul, Jon;

Mark Spector
MULTIPLE DISC ARRAY

3.28.04

Assignee: INTERNATIONAL BUSINESS MACHINES CORPORATION, New Orchard Road, Armonk, NY 10504, United States of America

Published / Filed: 1999-11-25 / 1999-03-02

Application Number: WO1999US0004873

IPC Code: H05K 5/00; H05K 7/02; H05K 7/10; H05K 7/14; H02J 3/06; H02J 7/00; H02J 7/02; H02J 9/00;

Priority Number: 1998-05-21 US1998000082897

Abstract: An electronic system contains a backplane circuit card assembly for distribution of electrical signals to one or more modules. The card assembly includes a plurality of pluggably connected base cards (220, 221), which provide redundant function. Preferably, two base cards (220, 221) in a single plane are connected by a single smaller parallel offset jumper card (222), the cards being coupled by pluggable connectors (301, 302, 401, 402, 501-504). The system preferably includes redundant power supply modules (201, 202) and redundant functional modules (203-216), which plug into the backplane from both sides. The modules connected to any one of the base cards provide minimum system functionality in the absence of the other card and its modules. Due to the redundant function, it is not only possible to replace any module, but is possible to replace a base card itself, while the system remains operational. The exemplary embodiment is an intelligent redundant array of independent disks (RAID) storage server having concurrent maintenance capability.

Attorney, Agent or Firm: TRUELSON, Roy, W. ;

WO9745784A3: ENCLOSURE FOR REMOVABLE COMPUTER PERIPHERAL EQUIPMENT

Inventor: YOUNG, JAMES, PATRICK; CLEVINGER, DONALD, LEE;

Assignee: CMD TECHNOLOGY INC. United States of America

Published / Filed: 1998-01-15 / 1997-05-13

Application Number: WO1997WO0008100

IPC Code: G06F 1/16;

Priority Number: 1996-05-31 US1996000656032

Abstract: An enclosure system for receiving a number of plug in computer peripheral devices, such as hard disk drives in a disk array, utilizes front and rear cages or enclosures (12, 30) that are separated by a vertical backplane (20) having internal circuit interconnections and multi-pin docking connectors (22, 24) on each face. A front bezel (44) provides access to the backplane (20) through the front cage enclosure (19), so that trays containing the drives (71) can be inserted and plugged into the connectors (29). The vertical spacing is arranged to be modifiable, so that different numbers of higher profile and lower profile devices can be used.

EP1026688A3: Removable integrated multiple internal disk drive subsystem
Inventor: Churchill, Robert J.; Hopla, Steven D.; Reyes, Jose G.; Hannigan
Assignee: Siemens Information and Communication Networks Inc.
Published / Filed: 2001-06-13 / 2000-01-31
Application Number: EP2000000300730
IPC Code: G11B 33/12;
Priority Number: 1999-02-02 US1999000243151

Abstract: A computer system and a method of servicing the system utilize a disk drive array assembly (12) that can be internally installed into and removed from a host electronic casing (10) of the system as a single unit. The disk drive array assembly is an integrated single unit, housing a number of hard disk drives (18, 20, 22, 24 and 26). The disk drive array assembly can support a redundant inexpensive, or independent, disks (RAID) system. The disk drive array assembly is comprised of a disk cage (46), a backplane (16) and the hard disk drives. The disk cage and the backplane form an integrated housing unit (14 and 16) for the hard disk drives. The disk cage includes a number of tracks (50a, 50b, 52a, 52b, 54a, 54b, 56a, 56b, 58a and 58b), located on two lateral interior surfaces of the disk cage. Each track on one surface of the disk cage is laterally aligned to a track on the other surface. A pair of aligned tracks is designed to guide a single hard disk drive that is being inserted into the disk cage. In addition, the same pair of aligned tracks provides support for the disk drive after being inserted into the disk cage. The unitary design of the disk drive array assembly allows the disk drive array assembly to be transferred from one computer system to another computer system in an intact condition. Furthermore, the unitary design provides easy access to other electronic devices contained within the host electronic casing, since the disk drive arrays assembly can be removed from the host electronic casing in the same intact condition. Attorney, Agent or Firm: Mohun, Stephen John ;

In the time allotted, I've selected here what struck me as most relevant from several thousand multi disk array patents, but as in any patent search, this one could be continued and extended. I repeatedly went through this disclosure of over 75 pages of text and figures and this is my most relevant collection of multi drive arrays, cabinets and connections. ~14hrs@30, email, no copy.

TOTAL: \$ 430

Thank-You Mr. McCarthy

four hundred thirty

EXPRESS MAIL RECEIPT NO. EV466891958US
DEPOSITED ON SEPTEMBER 1, 2004

PATENT
DKT. STL11716

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **Grant E. Carlson and Karl H. Cunha**
Assignee: **SEAGATE TECHNOLOGY LLC**
Application No.: **10/817,378** Group No.: **3728**
Filed: **April 2, 2004** Examiner: **Unknown**

For: **CARRIER DEVICE AND METHOD FOR A MULTIPLE DISC ARRAY**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


TRANSMITTAL OF SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT
WITHIN THREE MONTHS OF FILING OR
BEFORE MAILING OF FIRST OFFICE ACTION (37 C.F.R. § 1.97(b))

IDENTIFICATION OF TIME OF FILING THE ACCOMPANYING
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

The supplemental information disclosure statement submitted herewith is being filed within three months of the filing date of the application or date of entry into the national stage of an international application or before the mailing date of a first Office action on the merits, whichever event occurs last. 37 C.F.R. § 1.97(b).

Date: 9/1/2004

Respectfully submitted,



Mitchell K. McCarthy, Registration No. 38,794
Randall K. McCarthy, Registration No. 39,297
Fellers, Snider, Blankenship, Bailey & Tippens, P.C.
Bank One Tower
100 North Broadway, Suite 1700
Oklahoma City, OK 73102-8820
Telephone: (405) 232-0621
Fax: (405) 232-9659


EXPRESS MAIL RECEIPT NO. EV466891958US
DEPOSITED ON SEPTEMBER 1, 2004

PATENT
DKT. STL11716

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: **Grant E. Carlson and Karl H. Cunha**
Assignee: **SEAGATE TECHNOLOGY LLC**
Application No.: **10/817,378** Group No.: **3728**
Filed: **April 2, 2004** Examiner: **Unknown**

For: **CARRIER DEVICE AND METHOD FOR A MULTIPLE DISC ARRAY**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT UNDER 37 CFR 1.114(c)

List of Sections Forming Part of This Supplemental Information Disclosure Statement

The following sections are being submitted for this Supplemental Information Disclosure Statement:

1. Preliminary Statements
2. Forms PTO/SB/08A and 08B (formerly Form PTO-1449)
3. Identification of Person(s) Making This Supplemental Information Disclosure Statement

Section 1. Preliminary statements

Applicant submits herewith a list of patents, publications or other information, of which they are aware that they believe may be material to the examination of this application, and in respect of which, there may be a duty to disclose.

The filing of this supplemental information disclosure statement shall not be construed as a representation that a search has been made (37 C.F.R. § 1.97(g)), an admission that the information cited is, or is considered to be, material to patentability, or that no other material information exists.

The filing of this supplemental information disclosure statement shall not be construed as an admission against interest in any manner. Notice of January 9, 1992, 1135 O.G. 13-25, at 25.

Section 2. Forms PTO/SB/08A and 08B (formerly Form PTO-1449)


PTO/SB/08A (08-00)

Please type a plus (+) sign inside this box +

Approved for use through 10/31/2002; OMB 0651-0031

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO  INFORMATION DISCLOSURE STATEMENT BY APPLICANT Sheet <u>1</u> of <u>1</u>	Complete if Known	
	Application No.: <u>10/817,378</u>	Filing Date: <u>April 2, 2004</u>
	First Named Inventor: <u>Grant E. Carlson</u>	
	Group Art Unit: <u>3728</u>	
	Examiner Name: <u>Unknown</u>	
Attorney Docket Number: <u>STL11716</u>		

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No. ¹	U.S. Patent Document Number Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	AA	5,828,547	Francovich, et al.	10/27/1998	
	AB	6,351,374 B1	Sherry	2/26/2002	
	AC				
	AD				
	AE				
	AF				

OTHER PRIOR ART – NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²

FOREIGN PATENT DOCUMENTS

Examiner Initials	Cite No. ¹	Office ³ Foreign Patent Document Number ⁴ Kind Code ⁵ (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶

Examiner Signature	Date Considered

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformation and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached. Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231.

Section 3. Identification of Person Making This Information Disclosure Statement

The person making this certification is:

- a. the practitioner who signs below on the basis of the information supplied by the inventor(s) and in the practitioner's file.

Date: 9/1/2004



Mitchell K. McCarthy, Registration No. 38,794
Randall K. McCarthy, Registration No. 39,297
Fellers, Snider, Blankenship, Bailey & Tippens, P.C.
Bank One Tower
100 North Broadway, Suite 1700
Oklahoma City, OK 73102-8820
Telephone: 405-232-0621
FAX: 405-232-9659